

STATE OF ILLINOIS
ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 141.16 Inventory # 290 964A
 City McLean Street US Rt.136 county McLean
 Jurisdiction State Urban Rural X Commercial Residential
 Street Surface bituminous Width 26' Condition
 Angle 50° Tracks Tangent Y Degree of Curve Superelevation
 Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track	Type	Width	Condition
		Main(west)	rubber	48'	
12.7'		Siding	rubber		

Intersecting Roads <100' 025N is 86'E QOO'

Traffic Control Devices Present: Stop sign at 025N, "Do not stop on tracks", "Do not stop in striped area".

ADT 2800 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: VAB

Advance Warning Signs Yes Pavement Marking Yes

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE	_____	_____	_____	_____
NW	_____	_____	_____	_____
SE	_____	_____	_____	_____
SW	_____	_____	_____	_____

Approach Grades

East	25'	-1.60 %	50'	- 1.20 %	%
West	25'	-0.80 %	50'	-0.80 %	%



“+” grade is ascending **from** crossing

“-“ grade is descending from crossing


Comments: **Gate/Net** protection devices, **192E, 128W**

Cameras on wooden pole, **42E, 55W**.

Flasher facing SE toward 025N.



ROAD PROFILE



③ Photo Location

Crossing #: 290964A
 Location: Mclean Co., City of Mclean (I)
 Lat/Long: 40°18'42" / 89°10'23"
 Railroad: UP
 Street: U.S. 136
 Railroad Milepost: 141.16
 Crossing Protection: Train Activated Devices

STATE OF ILLINOIS
ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 140.91 Inventory # 290 962L
 City McLean Street Center St. County McLean
 Jurisdiction Local Urban X Rural Commercial X Residential
 Street Surface bituminous Width 34' Condition
 Angle 90° Tracks Tangent Y Degree of Curve Superelevation
 Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track	Type	Width	Condition
		Main(west)	Sectional timber	44'	
13.4		Siding			

Intersecting Roads <100' Railroad St. is 33'E; Grain <200' Park St. is 164'W
elevator entrance is 30'W

Traffic Control Devices Present: Stop sign at Railroad St.; yield sign at Park St.

ADT 909 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: AFLS&G

Advance Warning Signs Yes Pavement Marking No

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE	_____	_____	_____	_____
NW	_____	_____	_____	_____
SE	_____	_____	_____	_____
SW	_____	_____	_____	_____



Approach Grades

East	25'	+0.40	%	50'	+2.40	%	%
West	25'	0.00	%	50'	+1.60	%	%


“+”grade is ascending from **crossing**

“-“grade is descending **from** crossing

Comments: Flasher facing toward Railroad St. and **grain** elevator entrance.



SCALE IN FEET



③ Photo Location

Crossing #: 290962L

Location: Mclean Co., City of Mclean (I)

Lat/Long: 40°18'52" / 89°10'13"

Railroad: UP

Street: Center Street

Railroad Milepost: 140.91

Crossing Protection: Train Activated Devices